






chamfering or rounding



sharp edge



Size		5 ×3	6 ×4	7 ×4	8 ×5	10 ×6	12 ×6	14 ×6	16 ×7
w	max=nominal size	5	6	7	8	10	12	14	16
	min	4.97	5.97	6.964	7.964	9.964	11.957	13.957	15.957
t	max=nominal size	3	4	4	5	6	6	6	7
	min	2.94	3.925	3.97	4.97	5.97	5.925	5.925	6.91
r	max	0.4	0.4	0.4	0.4	0.6	0.6	0.6	0.6
	min	0.2	0.2	0.2	0.2	0.4	0.4	0.4	0.4
mass, kg/m (7.85kg/dm ³)		0.118	0.188	0.22	0.314	0.471	0.565	0.659	0.879

Size		18 ×7	20 ×8	22 ×9	25 ×9	28 ×10	32 ×11	36 ×12	40 ×14
w	max=nominal size	18	20	22	25	28	32	36	40
	min	17.957	19.948	21.948	24.948	27.948	31.938	35.938	39.938
t	max=nominal size	7	8	9	9	10	11	12	14
	min	6.91	7.91	8.91	8.91	9.91	10.89	11.89	13.89
r	max	0.6	0.8	0.8	0.8	0.8	0.8	1.2	1.2
	min	0.4	0.6	0.6	0.6	0.6	0.6	1	1
mass, kg/m (7.85kg/dm ³)		0.989	1.26	1.55	1.77	2.2	2.76	3.39	4.4