



chamfering or rounding



sharp edge



Size		8 ×7	10 ×8	12 ×8	12 ×10	14 ×9	16 ×10	18 ×11	20 ×12	22 ×14	25 ×14	25 ×22	28 ×16	28 ×25	32 ×18	32 ×30
w	max=nominal size	8	10	12	12	14	16	18	20	22	25	25	28	28	32	32
	min	7.964	9.964	11.957	11.957	13.957	15.957	17.957	19.948	21.948	24.948	24.948	27.948	27.948	31.938	31.938
t	max=nominal size	7	8	8	10	9	10	11	12	14	14	22	16	25	18	30
	min	6.91	7.964	7.964	9.964	8.91	9.91	10.89	11.89	13.89	13.89	21.87	15.89	24.87	17.89	29.87
r	max	0.4	0.6	0.6	0.6	0.6	0.6	0.6	0.8	0.8	0.8	0.8	0.8	0.8	0.8	0.8
	min	0.25	0.4	0.4	0.4	0.4	0.4	0.4	0.6	0.6	0.6	0.6	0.6	0.6	0.6	0.6
mass, kg/m (7.85kg/dm ³)		0.44	0.628	0.754	0.943	0.989	1.26	1.55	1.88	2.42	2.75	4.32	3.52	5.5	4.52	7.54

Size		36 ×20	36 ×34	40 ×22	40 ×38	45 ×25	45 ×43	50 ×28	50 ×48	56 ×32	63 ×32	70 ×36	80 ×40	90 ×45	100 ×50
w	max=nominal size	36	36	40	40	45	45	50	50	56	63	70	80	90	100
	min	35.938	35.938	39.938	39.938	44.938	44.938	49.938	49.938	55.926	62.926	69.926	79.926	89.913	99.913
t	max=nominal size	20	34	22	38	25	43	28	48	32	32	36	40	45	50
	min	19.87	33.84	21.87	37.84	24.87	42.84	27.87	47.84	31.84	31.84	35.84	39.84	44.84	49.84
r	max	1.2	1.2	1.2	1.2	1.2	1.2	1.2	1.2	2	2	2	3	3	3
	min	1	1	1	1	1	1	1	1	1.6	1.6	1.6	2.5	2.5	2.5
mass, kg/m (7.85kg/dm ³)		5.65	9.61	6.91	11.9	8.83	15.2	11	18.8	14.1	15.8	19.8	25.1	31.8	39.3